

10/535307

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q87992

Andrew N. MARGIORIS, et al.

Appln. No.: 10/535,307

Group Art Unit: Not Yet Known

Confirmation No.: 3693

Examiner: Not Yet Known

Filed: May 18, 2005

For:

USE OF THE CRH (CORTICOTROPIN RELEASING HORMONE) - UCN

(UROCORTIN) SYSTEM IN THE TREATMENT OF INFLAMMATORY DISEASES

<u>INFORMATION DISCLOSURE STATEMENT</u> UNDER 37 C.F.R. §§ 1.97 and 1.98

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In accordance with the duty of disclosure under 37 C.F.R. § 1.56, Applicant hereby notifies the U.S. Patent and Trademark Office of the documents which are listed on the attached PTO/SB/08 A & B (modified) form and/or listed herein and which the Examiner may deem material to patentability of the claims of the above-identified application.

One copy of each of the listed documents is submitted herewith, except for the following: U.S. patents and/or U.S. patent publications; and co-pending non-provisional U.S. applications filed after June 30, 2003.

The present Information Disclosure Statement is being filed: (1) No later than three months from the application's filing date; (2) Before the mailing date of the first Office Action on the merits (whichever is later); or (3) Before the mailing date of the first Office Action after

INFORMATION DISCLOSURE STATEMENT

U.S. Appln. No.: 10/535,307

filing a request for continued examination (RCE) under §1.114, and therefore, no Statement

under 37 C.F.R. § 1.97(e) or fee under 37 C.F.R. § 1.17(p) is required.

The submission of the listed documents is not intended as an admission that any such

document constitutes prior art against the claims of the present application. Applicant does not

waive any right to take any action that would be appropriate to antedate or otherwise remove any

listed document as a competent reference against the claims of the present application.

The USPTO is directed and authorized to charge all required fees, except for the Issue

Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any

overpayments to said Deposit Account. A duplicate copy of this paper is attached.

Respectfully submitted,

Registration No. 32,778

Brian W. Hannon

SUGHRUE MION, PLLC

Telephone: (202) 293-7060


Facsimile: (202) 293-7860

WASHINGTON OFFICE 23373

CUSTOMER NUMBER

Date: December 7, 2005

2



U.S. PATENT DOCUMENTS							
Examiner Initials*	Cite No.1	Document Number		Publication Date			
		Number	Kind Code ² (if known)	MM-DD-YYYY	Name of Patentee or Applicant of Cited Document		

Sheet

Attorney Docket Number

Q87992

FOREIGN PATENT DOCUMENTS								
Examiner Initials*	Cite No. ¹	Foreign Patent Document		Publication Date	Name of Patentee or	Translation ⁶		
		Country Code ³	Number ⁴	Kind Code ⁵ (if known)	MM-DD-YYYY	Applicant of Cited Document	Translation	

		NON PATENT LITERATURE DOCUMENTS						
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city, and/or country where published.						
		Corticotropin-Releasing Hormone augments Proinflammatory Cytokine Procution from Macrophages In						
		Vitro and in Lipopolysaccharide-Induced Endotoxin shock in Mice; Agelaki, et al.; Infection and Immunity, November 2002, p. 6068-6074; Vol. 70, No. 11						
		Corticosteroid-independent inhibition of tumor nectrosis factor production by the neuropeptide urocortin; Agnello, et al.; The American Physiological Society; E757-E760; XP-002247896						
	-, -	Corticosteroid-independent inhibition of tumor necrosis factor production by the neuropeptide urocortin; Agnello, et al.; AJP Endocrinology and Metabolism; http://ajpendo.physiology.org/cgi/content/full/275/5/E757						
		Receptor-mediated immunomodulation by corticotrophin-releasing factor; Audhya T, et al., Entrez PubMed; http://www.ncbi.nlm.nih.gov/entrez/query.fcgi						
		mRNA expression profiles for corticotrophin-releasing factor 9CRF), urocortin, CRF receptors and CRF-binding protein in peripheral rat tissues; Baigent, et al.; Journal of Molecular Endocrinology (2000) 25, 43-52						
		Annals of the New York Academy of Sciences, Volume 917 2000; pp 290-296; The Peripheral CRH/Urocortin system; Bamberger, et al.; http://lib3.tufts.edu:2301/gw1/ovidweb.cgi						
		CRH-like peptides protect cardiac myocytes from lethal ischaemic injury; Brar BK, et al.; Pub Med; http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?						
		Local Secretion of Corticotropin-releasing Hormone in the Joints of Lewis Rats with Inflammatory Arthritis; Crofford, et al.; The Journal of Clinical Investigation, Inc., Volume 90, December 1992, 2555-2564						
		Corticotropin-Releasing hormone in Synovial Fluids and Tissues of patients with Rheumatoid Arthritis and osteoarthritis; Crofford, et al.; The Journal of immunology; Vol. 151, 1587-1596, No. 3, august 1, 1993						
		The CRF peptide family and their receptors: yet more partners discovered; Dautzenberg, et al.; Trends in Pharmacological Sciences; Vol. 23, No. 2, February 2002						
		Corticotropin-releasing Hormone Induces Fas Ligand Production and Apoptosis in PC12 Cells via Activation of p38 Mitogen-activated Protein Kinase; Dermitzaki, et al.; The Journal of Biological Chemistry; vol. 277, No. 14; April 5, 2002; pp. 12280-12287						
		Stress Hormones, Th1/Th2 patterns, Pro/Anti-inflammatory Cytokines and Susceptibility to Disease; Elenkov, et al. TEM, vol. 10, No. 9, 1999; pp. 359-379						
		Annals of the New York Academy of Sciences; Stress, Corticotropin-Releasing Hormone, Glucocorticoids, and the Immune/Inflammatory Response: Acute and Chronic Effects; Elenkov, et al.; Vol. 876; pp. 1-13; http://lib3.tufts.edu:2301/gw1/ovidweb.cg						
		Urocortin 1 and urocortin 2 induce macrophage apoptosis via CRFR ₂ ; Tsatsanis, et al.; 2005 Published by Elsevlor B.V. on behalf of the Federation of European Biochemical Societies;						
Examiner Si	gnature	Date Considered						

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²See Kind Codes of USPTO Patent Documents at www.uspto.gov, MPEP 901.04 or in the comment box of this document. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST. 3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to indicate here if English language Translation is attached.

Substitute for Form 14	ubstitute for Form 1449 A & B/PTO		Complete if Known		
Substitute for Form 14.	institute for Form 1949 A & D/1 10			Application Number	10/535,307
INFO	INFORMATION DISCLOSURE				3693
STAT	STATEMENT BY APPLICANT			Filing Date	May 18, 2005
Value of the second of the sec				First Named Inventor	Andrew N. MARGIORIS
(us	(use as many sheets as necessary)				Not Yet Known
				Examiner Name	Not Yet Known
Sheet	2	of	2	Attorney Docket Number	Q87992

	NON PATENT LITERATURE DOCUMENTS					
Examiner Cit Initials* No	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city, and/or country where published.					
	Anals of the New York Academy of Sciences; Stress, Corticotropin-Releasing Hormone, Glucocorticoids, and the Immune/Inflammatory Response: Acute and Chronic Effects; Elenkov, et al.; Volume					
	8760.1999.1-13 Autocrine or paracrine inflammatory actions of corticotrophin-releasing harmone in vivo.; Karalis, et al.; National Library of Medicine; http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?					
	Corticotropin releasing hormone in colonic mucosa in patients with ulcerative colitis; Kawahito, et al.; National Library of Medicine; http://www.ncbi.nlm.nih.gov/enrez/query.fcgi?cmd ; Gut. 1995 Oct; 37(4):544-51					
	Urocortin Expression in Synovium of Patients with Rheumatoid Arthritis and osteoarthritis: Relation to Inflammatory Activity; Kohno, et al.; The Journal of Clinical Endocrinology & Metabolism 86(9) 4344-4352					
	Differential Actions of peripheral Corticotropin-Releasing Factor (CRF), Urocortin II, and Urocortin III on Gastric Emptying and Colonic Transit in Mice: role of CRF Receptor Subtypes 1 and 2; Martinez, et al.; The Journal of Pharacology and Experimental Therapeutics; Vol. 301, No. 2; pp. 611-617					
	Human urocortin II, a new CRF-related peptide, displays selective CRF 2-mediated action on gastric transit in rats; Million, et al.; American Journal of Physiology Gastrointestinal and Liver Physiology; September 21, 2001; pp. G34-G40.					
	Urocortin and corticotrophin-releasing factor receptor expression in the human colonic mucosa; Muramatsu, et al.; Peptides 21 92000) 1799-1809					
	Urocortin, a member of the corticotrophin-releasing factor family, in normal and diseased heart; Nishikimi, et al.; American Jouranl Physio Heart Circ Physiol 279: H:3031-H3039, 2000					
	Urocortin, But Not Urocortin II, Protects Cultured Hippocampal Neurons From oxidative and Excitotoxic Cell Death via Corticotropin-Releasing Hormone Receptor Type I; Pedersen, et al.; The Journal of Neuroscience, January 15, 2002, 22(2):404-412					
	Corticotropin Releasing Factor Receptors and Their Ligand Family; Perrin, et al.; Academy of Science, Volume 8850.1999.312-328; http://lib3.tufts.edu:2301/gw1/ovidweb.cgi					
	Stress and Autoimmunity; The Neuropeptides Corticotropin-Releasing Factor and Urocortin Suppress Encephalomyelitis via Effects on Both the Hypothalmic-Pituitary-Adrenal Axis and the Immune System; Poliak, et al.; the American Association of immunologists; 1997; 158: 5751-5756					
	Corticotropin-Releasing hormone induces Skin Mast Cell Degranulation and Increased Vascular Permeability, A Possible Explanation for Its Proinflammatory Effects; The Endorine Society; Vol. 139. No. 1;					
	Urocortin, a corticotrophin-releasing factor-related mammalian peptide, inhibits edema due to thermal injury in rats; Turnbull, et al.; Pub Med; National Library of Medicine; http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?					
	Urocortin, a mammalian neuropeptide related to fish urotensin I and to corticotrophin-releasing factors; Vaughan, et al.; Letters to Natures; Vol. 378, November 16, 1995					
	Corticotropin-releasing factor receptors in mouse spleen: identification of receptor-bearing cells as resident macrophages; Webster, et al.; Pub Med; National Library of Medicine;, July 1990; 127(1):440-52; http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?					
	Corticotropin-Releasing Hormone and Inflammation; Annals of the New York Academy of Sciences; Volume 840; 1998; pp 21-32					
	Urocortin in Human Gastric Mucosa: Relationship to Inflammatory Activity; Chatzaki, et al.; The Journal of Clinical Endocrinology & Metabolism; 88(1):478-483					
Examiner Signatu	Date Considered	<u>-</u> <u>-</u>				

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²See Kind Codes of USPTO Patent Documents at www.uspto.gov, MPEP 901.04 or in the comment box of this document. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST. 3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to indicate here if English language Translation is attached.